

G R S App F IX 4]

1948 - 49

File No 63-48

Previous References

(Ml)

Serial Nos 24, 25

(Later References

GENERAL AND REVENUE SECRETARIAT

Serial Nos

2

Part B for Feb 49

SUBJECT

Drainage Scheme for Kadur Town

P-53
E

To The D. C., Chikmagalur Dt
No L 9811/D 22-2-49

Defers the question for the present

To The Ch Engrs for Irrigation in Mysore
" " prsdlt T Ml El Kadur
Memo No L 9812-13/D 22-2-49

hdb

From The D e Kadu Dt
No. A3 c 3228/43 8 26-11-44
Reports sanction to an
estimate for Rs 57,443/- for
the comprehensive drainage
scheme at Kadu

1/ This will be sent in
the first instance to the
chief Engineer for irrigation
for favour of sanctioning and
early return submitted
on 5/12/44

2/ A - may be done in
the first instance


Lawrence 5/12/44
3/ 6/12/44
done

460 112
on 6-12-44

4/ promised with compliments to the
chief Engineer for irrigation for sanctioning
and early return

2079/9
8/12/44

6/12/44 for sanctioning
by order
6/12/44
Lawrence



U/o No 1475/s Dated, 12-2-45
(74)

5/

Returned with compliments,


2, The report and the plan required to check the estimate have not been received along with the estimate. This was pointed out in other instance separately.

3 - As the estimate amounting to Rs 44,187/- is dated 3-1-44, the provision of 30% under fluctuation of rates does not arise.

4 The detailed estimate is not signed by any body.

M. Narasimha
Chief Engineer for Irrigation

The Law Secretary to Government



6) A draft letter is put up, accordingly.
ma 19/2

7/

Law Secy

8/

21-2-45

9/

Dr. J. V. Srinivasan

To

The D. C. Radm


2-8554-24-2-45

calls for further information

S. A. Ma

3
At reminder
put up

Dr. J. V. Srinivasan
for
28/2
10984 D J



Kadur drainage

3

DEWAN'S MINUTE

Bangalore


18th June 1945

FILE No

194



10/ It was represented to me at Kadur that the Municipality has agreed to pay its quota for the drainage scheme for the town and that the proposals are pending sanction of Government. The papers may please be put up to me with a note



N M
DEWAN

11) put up from

on 19/6/45
L

for the year 1943-44, Govt. has sanctioned a sum of Rs 2,000/- for the construction of drains in the Kadur Town which the M.L.C. are ^{stated} ~~to~~ to have drawn the amount and credited the same together with an equal sum from out of their funds for the purpose. The M.L.C. are proposed to utilise the entire sum viz Rs 4000 towards the comprehensive drainage scheme.

15) After the receipt of proposals from the D.C., the estimate had been referred to the C.E. for sanction for the work. The C.E. returned the estimate, with certain observations as under para 5/infra. The particulars required by the C.E. under to facilitate the sanctioning of the estimate have already been called for from the D.C. Kadur and the receipt

5 7492 ✓ 8397 ✓
Dewan's minute - Kadam Prasad

of the same is awarded
16) Subd with reference to
para 10 supra

ma 23/6. 17) Law secy for
28/6/45
Submitted

18) Dewan
Acc 23 6 45
from

19) Mee
24/6/45

Acc 25 6 45

19) Pl remind to D.C. Kadam Prasad
in the make 28/6/45

20) A 2ft reminder to put up
ma 27/6/45

21) J. M. for
27/6/45

End A-ma
6/7

2- 126 4-4 - 28/6/45

From the D.C. Kadam Prasad
no 173-C-3228/43, 28/7/45
furnishes the information called
for

X

22) in view of the report

Kadur Drainage 167 $\sqrt{566}$ / L

The Sanitary Superintendent Engineer,
This may be sent to the C E
for Roads & Buildings for forwarding
of scrutiny and early return
with reference to the remarks
of the C E for irrigation at para
5 supra

na 13) forwarded and approved (No 42
1/8 Compliments to the Chief Engineer
for Roads & Buildings for forwarding
necessary action with respect to para 5
supra. & early return. No

Uo No 363

for forwarding
to the Chief Engineer
for Roads & Buildings

No 11 (a)

24/10/8
10/8

U O No

53


Dated the 27th August 1945.

The estimate is scrutinised and it
amounts to Rs. 57,443/-

Additional Secretary
to Government, with
compliments

Chief Engineer for Roads
and Buildings

SSh



28/8/45

29/8/45

25/8/45

The proposal relates
to the comprehensive drainage
scheme at Kadur. The work
is proposed to be financed
by the Kadur municipality
and the Govt in equal
proportions.

Serial
No

26) The estimate for Rs 57,443 submitted for the scheme has been sanctioned and found to be in order by the C.E. for Roads and Buildings. It is reported that a pot grant of Rs 2 already sanctioned out of the T.D. grant for 42-43 for carrying out certain drainage works has ~~already~~ been placed at the disposal of the Sanitary Engineer together with an equal ^{amount of} contribution and this amount is proposed to be utilised towards the main scheme towards the contribution of the work, the M.C. propose to dispose of ^{old} slabs (available) to the value of Rs 3,000 for being utilised in the scheme. Thus, there is already a sum of Rs 2000 towards the pot grant of the work amounting to Rs 28,722, and of the Rs 28,722 towards M.C. contribution a sum of Rs 2000 already credited + Rs 3000 the value of old slabs is available. The M.C. has yet to pay Rs 23,721/-

The Sanitary Engineer will be requested to utilise the old slabs to the extent as they are locally available for

27) In the above instance

points for orders are:-

566/2

Kadur drainage

File No

of 194

General and Revenue
SecretariatSerial
No

- 1) Sanction to an estimate for Rs 57,443/- for the comprehensive drainage scheme at Kadur, the cost of the scheme being met by the Govt and local mtd cl in equal proportions, A
- 2) Sanction to a grant of Rs 26,722/- out of the T & D grant for 45-46 towards the Govt share of the cost amounting to Rs 28,722/- as a sum of Rs 2000/- has already been given. There is a provision of five lakhs in the Budget for 45 for the improvement works. B
- 3) Sanction to the proposal of the Kadur mtd cl to meet their Govt share to be paid viz Rs 23,721/- from out of the closing balance of the mtd cl. The amount is available. C
- 4) ~~proposed~~ to the extent of Rs 19,330/- being the realization of the ~~subsidy~~ (in this connection it may be stated that the realization of the ~~subsidy~~ is available). The role of sets in the year.
- Ma 29/8/45 That the financial position of the mtd cl for 45-46 according to the sanctioned budget for 45-46, is satisfactory - the figures noted in the margin.
- 28) subdts with reference to para 10 supra
- Ma 20/8/45-29) The proposals at A, B & C supra,

Rs
Receipts - 23,211
Exp - 17,867
C.B - 5,344


Drainage Scheme - Kurnool 4
 [Signature] mini only

General and Revenue
 Secretariat

File No

of 194

[App F III-2]



Serial
 No

May be sanctioned, with Finance
 Concurrence -

Adm Secy L

Financial Secretary
 w/c

30/8/45
 for concurrence
 [Signature]
 31/8/45
 [Signature]

2296

1353

31) The fee may kindly be sent to me
 with the opinion of the ^{Adm Secy} for my note &
 passing on to the mem

3431

32) This is Schedule matter

B
 25/9

33) The proposals as at A B & C
 above may be sanctioned



Minister for Agr
 through J.L. Secy

[Signature]
 27/9/
 [Signature]
 27/9/45

The proposals are to form sytek pattern drains
 at a cost of over a lakh

35/ These drains are out of date & I think
 for the same or a ^{somewhat} higher amount we may
 have underground drains -

35/ It has been our experience that the
 health of a town considerably improves

Kadur Town Drainage


File No

of 194

General and Revenue
Secretariat

Serial
No

20 1989
25 3431



7) With a system of underground drainage
this has been amply
demonstrated in the Mysore city.
The real living portions of
Kadur Town are very small in area
& an underground drainage appears
to me to be more suitable especially
when we are spending such a
large sum.

3) I would therefore suggest
that a scheme for underground
drainage for this little town
may be put up, instead
of perpetuating these sykk pattern
drains which are not really very
useful.

1) This raises a general question of policy.
A fresh Estimate will
have to be obtained &
the Chief Engineer for
Roads & Buildings consulted.
again on this.
Minister for Agr

4) In the case
of Chitalong
Barr also,
it has been
suggested
the same -

is what
advised them
when I last
visited the
town

42) agree with the Fin Secy.
43) Pl expedite

25/10
27/10
45/10

Serial
No

Kandam Drainage 588/L

5845/
4/2

1. 5) Encl^{ts} with a 2nd - Ref
para 4 - infra

ma 10/11/45 47) Dr. J. S. Srinivasan
10/11/45

To,

The C. E. for R & B

L 3787 of 15-11-45

calling for his opinion

L 3788 of 15-11-45

Dr. C. S. Kandam Dr.

Sms A

ma

14/11

From The D. C. Kandam Dr.

NO A 310 B 228/43 923/4

Dr. J. S. Srinivasan in the

matter

The D. C. is in favour
of setting up the under drained
Drainage scheme at Kandam.

Report from the Chief Engineer
for R & B may be awaited

ma 9/2 45) for perusal.

A. rem~~over~~ will be

forwarded to the Chief Engineer

for Road & Buildings for
reporting his opinion in the matter

For 4/2/

Rev. S. S. Srinivasan 24/2/46

5807/L Kadam Drainage
File No of 194

General and Revenue
Secretariat

Serial
No


50) A dft of D.D. Res subp.

ma
7/2

51) Issue for
7/2/46

52) A report has since been received

ma
22/2



From the ~~D.C.~~ Chief Engineer for R & B

— NO - 6495 - Q - 8 - 2 - 46.

Wishes his opinion in the matter

Letter Q 11-2-46 from the

D.C. Kadam in the matter

53) The Chief Engineer for
Roads & Buildings is of opinion
that an underground drainage
work cannot be ~~at~~ taken
up at Kadam for reasons
stated in his report. He
states that for a place
like Kadam and under the
present circumstances,
surface drainage scheme
is best suited.

54) In view of this information

Serial
No

the proposals referred to at
para 33 of the notes are for
the executing the surface
drainage scheme in the
Kadur minor half at an
estimated cost of Rs 57,443/-
are submitted for orders with
reference to paras 42 to
44 supra

ma 55) It is stated by
23/2 the C E for Roads &
Buildings that, in view of want
of an adequate quantity of
water required for working &
maintaining the underground drainage
system, it is not possible to
have such a system of drainage
at Kadur. He considers that
Kadur minor may be provided with
surface drains only.

56) The estimate for the latter
is Rs 57,443. It has been
sanctioned by the C.E for R & D &
is submitted for orders with reference

to paras 40 to 45 supra. We
may have to proceed with supra supra
of 20/2/46 rev seg for
28/2/46

5717
L.

File No


of 194

General and Revenue
Secretariat

Serial
No

A Scheme of Surface
Drainage may be sanctioned
in the circumstances stated
If this is affd, proposals
A B & C at para 27 above have
also to be sanctioned

OFFICE OF THE
SECRETARY
TO THE GOVERNMENT
N. 5355



Minister for Agr
through H. S. S. S.

25/2/46
Am
25/2/46

I am afraid I do not agree with the Chief
Engineer The Kadur Town has got a number of wells
and the water required for underground drainage can
easily be obtained from them

Regarding the town water supply itself, there is a
small river, (Avati) flowing near-by the Kadur Town
It is only because the municipality has no money that
water supply could not be improved Since underground
drainage system is far better than the surface drainage
I think we may put up an underground drainage system for
this town and encourage people to use well water for
flushing

6/3
7/3/46

When I was recently at Kadur, the Municipal

5355

Serial
No

Councillors and townspeople did speak of the halla-
that was flowing by the town, and suggested that a
dam across this would assure the town of good water
supply This scheme, which would also include fil-
tration, is sure to be very costly, and though I
would also prefer underground drainage to the present
proposal, I would not like the better to prove to be
the enemy of the good, and even the surface drainage -
scheme now ready for sanction to be delayed for years,
till estimates for the other scheme are prepared and
their engineering and financial aspects considered
62) I would like the Sanitary Engineer to meet me as
early as possible regarding this question

Handwritten signature
14/3

Handwritten signature
26/3/1946

63) *sp please*

RECEIVED
21 MAR 1946
CELL & SECT

64) *276 so letter is pub*
mar 20/3

Yrme atuee

65/

Handwritten signature
27/3/46

The Sanitary Engr Mr. M. S. Iqbal me
the attached note (-dated 27-3-46)

66 Please ask him if ~~the construction~~
the construction

Serial
No

55

of the Am cut across the river - the m. hilly
 Costly w^d ~~improved~~ ^{improved} sufficient water - to irrigate any
 Considerable extent of land, after
 providing an adequate water supply
 to the town both for drinking &
 for underground drainage purposes -
 Also, ~~it~~ ^{it} ~~at~~ ^{at} the same source
 be used for ~~an~~ ^{providing a more} adequate water supply
 to Brim Town which is close by?
 1/11 I w^d like to have a very
 early answer -

555

MAD

31/3

Don

2/4/

27/4/46

687

S/R - L

59) Draft subd

M

8/4

70) - Issue of

Family Engineer


to the - ~~Joint~~ Architects

D.B. W.L. 10667 & 11.6.4966

Calls for a report on the several
 doubts raised above by the 75th May 46.

- Memo No 10668 + 10669 & 11.4.4966

to the Chief Engineer of Imports & Exports
 forwarding copy of the above.



for - with co
 till 16/5/46
 13/4

The following is the extract of the orders of the then Minister Agre on the representation submitted by The Municipal Members of Kasim Town during his term in the Kasim Dist in Feb, 41 on the underground drainage & water improvement work at the place -

- 71) 1. underground drainage
2. Building a dam across the Veda River and pumping water to the town and of installation of Jwell Filter

orders - "The problem of (1) underground drainage scheme depends on the feasibility of (2) supply from the Veda River this may be quickly examined and a report submitted"


- subdts -
72) The Sanitary Engineer has already been requested to furnish his opinion in the matter, as ordered at paras 65 & 67 supra.

- 73) A draft letter is being to the

5514/2 Kadun Drainage 5170
417

Chief Engineer for ~~RTS~~ ORM in
view of the order was made by the
Minister at para 71 supra

Ma 3/7/46 74 Has not an admission report
been received on the subject from the
Sanitary Engineer? Pl look up the
papers pending with you for 417/46



No report has been received from
the Sanitary Engineer in the matter
as yet
Ma 8/7

Issue
for
8/7/46

To,

The Chief Engineer for ORM
2 536 of 10-7-46
calls for proposals

Smt A
Ma

11/7,

From the DC Kadun Dist.
No AD C 3228/43 of 23/12/46

Remarks to intimate the stage at which the above matter stands.
76 A report from the CE for Irrigation in the matter is still awaited
May a reply to the DC stating that the question is under consideration
be issued

21/11

77

yes please
A reminder may also be issued to
the Chief Engineer for Irrigation
21/11/46

Kadur Drainage Scheme $\sqrt{6670} \frac{5170}{2} 17$

78 An interim reply from the C E for Irrigation has been need with no 1440/S D/17/147, put up with the house file, hence further report as promised thereon will be awaited

A draft reply to D C on the matter is submitted

23/1

79 Immediate

no 2 10490 and 10491 2/25/147

26/1

From

The chief Engr for Irrigation
Bangalore

no 1724/S dated 13 2 47

is sent

80 An advertisement reply to say that the reply is awaited from the Sanitary Engr

A draft letter to the Sanitary Engr to expedite his proposals is put up for approval or other orders

21/2

81 Pl want Ltr 1 3 47 & then send me C-E for Irrigation

has promised to send up the proposals as soon as they are received for the Sanitary Engr who is to have been received

Sus B
KU 1 3 47

From the C E for Irrigation
no 1974/S D/20/47

for 20/2/47

82 The C E for Irrigation states that the sinking of the second bore well is in progress and the yield will be tested at 100 depths. In case the yield is found to be sufficient, detailed proposals for giving water supply to Kadur Tank by these

20 Message Scheme of Kadur Town
bore-wells will be got up & submitted to govt. 6670√7852

83 The question of pumping water from the Veda River to augment water supply town to Kadur Town will be considered, if the supply from the two borewells is found inadequate.

~~Detected fingerprints will be investigated~~

25/3


84) Prüfung für Personal

Russell

29/3/14

For perusal
cheeser for
Rev. & Cons)

474 27/1/19



85) $\frac{8}{574127}$

Sum
2284

86) Why is this file ^{kept} pending for over
one year & few months without
the issue of reminders to the Chief Engineer?
?

2/4
Luther

Sam

88) The drainage scheme is dependent upon the provision of adequate water facilities to the town and a comprehensive report in this behalf is awaited from the Chief Engineer (now & 2B)

2) A Reminders ~~about~~ issued to the 3. 5. 1. Invention

2) A Reminders have been ~~issued~~ ^{abstracted from} Chief Engineer (2) to the C E for Brighton on the following dates (since at the time he was in charge)

- 1) L 11403 dated 29-11-47
- 2) L 13002 dated 29-1-47
- 3) L 14838 dated 25-3-48
- 4) L 17510 dated 11-6-48

~~as the addition of a new member to the~~ ^{Dr. J. H. H. H.}

Drainage Scheme for Kadur²¹ Town

~~7852/mt 89 The reminder slip was in the locker~~

7852/mt 89) The reminder slip was in the locker
file kept just below the main file
Aug 90) In formal with office to para 86 Amdra

8/9 Re 8/9/48 a1) Re-seg) for
8/9/48

OFFICE OF THE MINISTER FOR LOCAL SELF GOVERNMENT	
No	1309
Date	5/9/48

92) initiated
L.S.-8

93) Re
18/9/48

8
10/9/48
for
10/9/48

8
21/9
6/10/48

Smt A
28/9

94) The question of underground
drainage scheme for Kadur Town
is pending for a long time. The
proposals ^{can} ~~may~~ not be sanctioned
and taken up at present as
there is no adequate supply of
water to the place. The under-
ground drainage scheme is mainly
dependent upon the adequate
supply of water both for drinking
and for the drainage scheme.

Drainage Scheme for Kadur Town

7852/01

95) As per the report of the E for Irrigation, the question of water supply from the Veda River will be taken up, if the supply of water through the bore wells is found to be inadequate. He has not yet sent the final report in the matter.

96) In the circumstances stated above, the question of ^{the} underground drainage scheme ^{for this} may be taken up after the water supply scheme is finalised.

97) If approved, the above will be intimated to the D.C.

chickmagalur

Amr
9/2/49 P
10-249

OFFICE OF THE MINISTER FOR LOCAL SELF GOVERNMENT	
No	3952
Date	12/2/49

No useful purpose would be served by keeping this file in suspense. Action will be taken as indicated above. The records (plans & estimates) also returned to the D.C. D/P for appl.

14/2/49 Minister (S.P.)

10/2/49
11/2/49

Drainage Scheme for Kadur Town

Issued
18/2/21

7852/21

To

The CC Chikmagalur Dist
The C.B. for Irrigation
The pdt Kadur Town of
L 9811-12 of 22-2-21

The question is deferred for the
present

B
23/2/21

'GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No M 4266 346/G M 5-48 13 Dated, Bangalore, 4th September 1948

Official Memorandum

The following Tour Programme of the Minister for Local Self-Government on the 8th and 9th September 1948 in the Chickmagalur District is forwarded for information and guidance -

By Order,
A C NIRVANI GOWDA,
Secretary to Government
Education Department

To
The Secretaries to Government
The Heads of Departments
The Deputy Commissioner Chickmagalur District
The President, District Board, Chickmagalur District
The Superintending Engineer, Shimoga Circle, Shimoga
PRESS TABLE

Tour Programme

September 1948

8th	2 P M	Leave Bangalore to Tarikere (By car)
	7 P M	Arrive Tarikere and Halt
9th	9 A M	Town Inspection
	10 A M	Opening of Municipal High School at Tarikere
	11 A M	Leave Tarikere to Kadur - Lunch at Kadur and Town Inspection
	3 P M	Departure to Bangalore

One file regarding water supply for
Bihar and Madhya, with which
the question of providing a drainage
system to Madhya is also linked, is
sent herewith. There are no other
files for spot inspection in this
place.

R
7.9.48

OF	
THE MINISTER FOR LOCAL SELF GOVERNMENT	
No	<u>1092</u>
	<u>RSg</u>
Date	8 9 48

The above file is returned
exceeding as per instructions
of the minister for RSg
kind reference is invited
to the order annexed

and B.O.
M
8 9 48

No A3 C 3223/43-44

Office of the Deputy Commissioner,
Kadur District,
Dated, Chikmagalur, 24th November 1944


From

Enc file
The Deputy Commissioner,
Kadur District, Chikmagalur

3608/1

To

The Secretary to the Government of Mysore,
Law Department,
Bangalore



Sir,
subject. Re. the comprehensive drainage scheme for
Kadur Town.

I have the honour to state that a comprehensive drainage scheme for Kadur Town at a cost of Rs. 57,443 has been received from the Director of Public Health. It was suggested to the Kadur Minor Municipal Council that they may apply for a loan equal to half the estimated cost, the same being repayable in fifteen annual instalments the other half being met by Government. In the meanwhile, the Municipality has realised a sum of Rs 19,330/- by the sale of certain vacant sites at the place. Hence the proposal to apply for a loan has been dropped. It is reported that old slabs to the value of about Rs 3000/- are now available with the Municipality and they can be made use of for the construction of new drains and proportionate deduction shown towards the contribution due by the Municipal Council. In Government Order No L 7030-43/M 102-42-76 dated 4th February 1944 a Government grant of Rs 2000/- was allotted for the execution of drainage works at Kadur. This amount together with the Municipal contribution of Rs 2000/- has been placed at the disposal of the Sanitary Engineer. The work could not be taken up as the plan and estimates were not ready.

2 The provision of drains for Kadur Town is an urgent necessity and there are sufficient funds at the credit of the Municipality. I request that sanction of Government may be kindly obtained for the detailed estimates and plans and for taking up of the work by the Sanitary Engineer, immediately. Sanction may also be obtained for the following proposals -

1) A sum of Rs 26,722/- (excluding the grant of Rs.2000/- already sanctioned) may be sanctioned as a free grant

2) For payment of a sum of Rs 23,721/- by the Kadur Municipal Council, the expenditure being met out of the closing balance. A sum of Rs.2000/- has already been paid by the Municipal Council

3) The Sanitary Engineer, may be kindly instructed to use the old slabs for the construction of drains and to allow proportionate reduction in the contribution due by the Municipal Council, ^{as required by the municipal council} the cost of these slabs has been estimated at Rs.3000/-

The estimates and plans together with the copies of resolutions of the Municipal Council are enclosed for favour of reference

I have the honour to be,
Sir,
Your most obedient servant,

S. Balaraj

For Deputy Commissioner,
Kadur District.
(Absent from Headquarters)

RKM

L-8554
WR TO,

24.2.41-

3

Me D c Ka Du Ol-

Sir,

with reference to your letter
no A3 c 3228/43 & 24-11-44 on
the Damage Scheme at Kodan,
I am directed to request you to
take for the necessary actions
hereunder and submit ^{complete} report
to govt very early -

1) The report and plan required
to check the estimate which have
not been received ^{with the estimate} may be sent now

2) The detailed estimate may
be got signed by the concerned authorities
~~but not clear~~ 3) It may be noted that

Records accompany for
reference & return

has the provision of 307
and fluctuation of rates
is necessary in view of
fact that the estimate under
nos 44187/- is under

3144

I have etc

W
21-2-41

for Secy Law

GENERAL AND REVENUE
SECRETARIAT

(Continuation sheet draft form)

To,

Mr D - C Kadam

Sir,

with reference to
your letter no A3 c 3228/4
of 24-11-44 on the
damage scheme at
Kadam, I am directed
to request you to obtain
and forward the following
particulars, very early

1) The report and
plan required to check
the estimate ~~have~~
~~not been received~~

cc

L-10989

In the D-c 5/5/45
Kadur Dist

Sir, In view of reference to
this, office letter no L 855-4 of
24-2-45, in regard to the
comprehensive drainage scheme
for Kadur, I am directed
to request you to resubmit
the above project, in a complete
form, with the particulars referred
to herein, at an early date.

Sincerely
Yours
J. S. S. S.

No. *14* C 3228/40-44
Encl

OFFICE OF THE DEPUTY COMMISSIONER,
KADUR DISTRICT,
CHIKMAGALUR, Dated 11-5-1945

9
5 XI.45-

To *286*
The Secretary to the Government
of His Highness the Maharaja of Mysore
Law Department
BANGALORE

7492
RECEIVED

Sir, *received*
Re - Comprehensive drainage scheme for Kadur town

With reference to your letter no L 10089 dated 5-5-45 on the above subject I have the honour to state that the particulars called for from the Chief Engineer for roads and buildings, have not ~~xxxx~~ yet been received. He has been requested to return the estimates with the required particulars very early

subdls for perusal
ma 47/5- I have the honour to be
Sir
Your most obedient Servant

Pl want till the Deputy Commissioner
Kadur district

every quarter and then U.S. V.
revised

39/5/45

2005-12644
Dear Sir,

30/6/45⁶

I am pleased to
request you to send up the
proposals re the comprehen-
sive drainage scheme
for Kaduna Town without
any further delay

Yours
faithfully

To,

The D.C. Kaduna



(by name)

D. 6.5]

In reply please refer to—
No A3.C. 3228/43-44


OFFICE OF THE DEPUTY COMMISSIONER,
KADUR DISTRICT

Dated Chikmagalur 2nd July 1945

ENCS

FROM

TO



~~XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX~~

Deputy Commissioner

Kadur District



Secretary to the Government of
His Highness the Maharaja of Mysore,
Law Department. Bangalore

SIR,

Re.- Comprehensive drainage scheme of Kadur.

...

With reference to your D.O. Letter No. 12644 dated 30th June 1945 on the above subject, I have the honour to state that the Sanitary Engineer, has sent the above scheme to the Chief Engineer, for Roads and Buildings on 4-6-45 along with the report and plans to check the estimate. He has also stated in his letter dated 4-6-45 that the provision of 30% under fluctuation of rates is necessary even though the estimate was prepared on 3-1-1944, in view of the day to day fluctuations of rates due to war conditions and unsettled market conditions.

The Chief Engineer, for Roads and Buildings has been requested to send the scheme with his opinion direct to you.

I have the honour to be,

Sir,

Your most obedient servant.

Deputy Commissioner.

Kadur district.

Sublt for perusal

with the file

ma 1/6/7 Pt. Govt. Mysore

skr/2 to city engineer

then return

16/7/45

Handwritten signature of the Deputy Commissioner.


4/7/45

A.S.C. 3228/43-44.
Kad One.

OFFICE OF THE DEPUTY COMMISSIONER
KADUR DISTRICT,
CHIKMAGALUR, Dated 18-7-1945 E.

To The Secretary to Government.,


Sir Law Department, Bangalore




Re - Comprehensive Drainage Scheme of Kadur
Town.

In continuation of this Office letter of even number dated 3-7-1945 on the above subject, I have the honour to forward herewith the estimate and plans relating to the above work. I request that the several proposals contained in my letter dated 25th November 1944 may be kindly sanctioned early.

I have the honour to be,
Sir,
Your most obedient servant,


Deputy Commissioner, 18/7
Kadur District.

I.M.B.



G R S App F G 3

GENERAL AND REVENUE
SECRETARIAT

(Continuation sheet draft form)

N^o 2378

Wm 3

9
15 XI 45

V D.

The Chief Engineer
- for R & S.

Sir,

I am directed to
in the reference to
your note no 53 of 27-
8-1945-
the estimate for
the Kadam Drainage
Scheme Rs 57,443/-,
I am directed to
request you to furnish
your definite opinion
as to whether it
may not be advantage-
ous to take up
for all the underground
Drainage Scheme
at Kadam instead
of executing the
surface Drainage

Wm
12/11/45

work as proposed was, in view of
the fact: that these type
of drainage is out of date and
which ^{it} does not go a long way in
serving the
purpose ^{of the Town} from the health point
of view ~~and~~ moreover, the living
portions of Kaduna Town are very
small in area and an underground
drainage system appears to be
more suitable especially when
such a large amount is proposed
to be spent -- If ^{the courses to be adopted}
^{then a revised estimate ^{in the order of} maybe}
Records ~~are~~ accompanying for
needful action sent up to Govt.

Shwele
for

of Addis Ababa

Reur 23788

15. XI. 45-


copy of the above is forwarded to
the D.C. Kaduna with reference

to his letter no 773 c 3228/43 of 18-7-45-
for information furnishing his opinion
on the matter
B.O.
for

No A3.C.3228/43-44.
Encl

OFFICE OF THE DEPUTY COMMISSIONER
KADUR DISTRICT
CHIKMAGALUR, Dated 23-11-1945

To
The Secretary to Government
Revenue Department, Bangalore.



With reference to your Memo.No L.3788 dated
15-11-45 requesting me to furnish my opinion to take
up under-ground drainage at Kadur instead of the
surface drainage for which an estimate has be prepared

27/11 for Rs.57,443/-, I have the honour to state that the
under-ground drainage scheme is better and will not
cost very much more than surface drainage scheme.

The former scheme may therefore be arranged to be
taken up as early as possible.

I have the honour to be,
Sir,
Your most obedient servant,

Enclosed, forwarded
with Compliments to
the Secretary to Govt
Revenue Department -

Deputy Commissioner,
Kadur District

IMB/2. Proceeded

In Revenue Commission
25/11/45

sup pl please
5/11/45

Received on
28/11

Dear Sir,

12

I am desired to
request you to expedite the
report called for in this
office letter no L3787
of 15.11.45 on the question
of taking up the underground
drainage work in the Kander
manu mill.

Yours
for
To,
The Chief Engineer for R & B,
(by name)

13

Secretary to Government
Development Department

GENERAL AND REVENUE SECRETARIAT

Dated Bangalore

February 1946

D O No

Dear Sir,

I am desired to request you to expedite the report called for in this Office letter No L 3787 dated the 15th November 1945 on the question of taking up the underground drainage work in the Kadur Minor Municipality

Yours sincerely,

Rajasevasakta
Narayan V Bapat, Esq , B A , C E ,
Chief Engineer for Roads & Buildings in Mysore,
Bangalore

K M R 1

G. P. No 46]

GOVERNMENT OF MYSORE

No. 6495

Encls

OFFICE OF the Chief Engineer for Roads
and Buildings in Mysore, Bangalore,

Date 8. 2. 46

To

The Secretary to Government,

Revenue Department, Bangalore

Sir,

Re Underground Drainage Scheme at Kadur.

With reference to your letter No L 3787 dated 15-11-45 on the above subject, I have the honour to state that Kadur is a small town with very poor resources for water supply. A liberal water supply system is required for flushing an underground drainage system. Besides, an underground drainage system is costlier than surface drainage. It would necessitate elaborate improvements to the water supply system. The heavy cost of improving the water supply and of laying the underground drainage system and the difficulty of obtaining adequate source of water supply and of working and maintaining the same have also to be considered in adopting the underground drainage system. For a small town like Kadur, surface drainage scheme is most suited considering all aspects of the case.

I am therefore of opinion that Kadur Town may be provided with surface drains only.

The records received with the above reference are herewith returned.

I have the honour to be,
Sir,
Your most obedient servant,

W. B. Datta
Chief Engineer for
Roads and Buildings

BKR

D C 4]

No. A3.C.3228/43-44

OFFICE OF THE DEPUTY COMMISSIONER
KADUR DISTRICT

Enc

Dated Chikmagalur 11th February 1946

FROM

The Deputy Commissioner,
Kadur District

To

The Secretary to the Government of Mysore,
Revenue Department, Bangalore

Sir,

Drainage Scheme of Kadur.


I have the honour to invite kind reference to this office letter of even No. dated 23rd Novr 1945, on the above subject and to request you kindly to intimate whether any proposals for taking up underground drainage scheme for Kadur Town have since been received from the Chief Engineer for Roads and Buildings.

I have the honour to be,
Sir,
Your most obedient servant,

For Deputy Commissioner,
Kadur District.

(Absent from the Station.)

Tss



G R S App F G 3

GENERAL AND REVENUE
SECRETARIAT

(Continuation sheet draft form)

L9782

22.3.46

scope

Dear Sir,

I am desired
to request you to make
it convenient, as early
as possible, to ^{visit} call
upon the Minister for
Agriculture, as early
as possible, in connection
with the execution of
the drainage scheme in
the Kolar munisipality
the date on which
you propose to interview
the Minister may
kindly be intimated,
immediately

Yours
fmr

L9782 22.3.46
Copy to the Chief Engr
for Road & Buildings
for reference

46,
The Sanitary Engineer,
Bureau of Sanitary
Engineering

Secretary to Government
Development Department

17
GENERAL AND REVENUE SECRETARIAT

Dated Bangalore 22 March 1946.

D O No L9782

Dear Sir,

I am desired to request you to make it convenient to wait upon the Minister for Agriculture, as early as possible, in connection with the execution of the drainage scheme in the Kadur Minor Municipality.

Yours sincerely,

Sd.J.B.Mallaradhya,

K S Venkataramanu, Esq., BA, BE,
The Sanitary Engineer,
Bureau of Sanitary Engineering,
Bangalore.


P T O

Memo No. 9783

Dated, 22.3.46

Copy of the foregoing is forwarded with compliments to the
Chief Engineer for Roads and Buildings for information.

By Order,



Secretary to Government,
Revenue Department.

SUBJECT

3 copies

19

Diary No of letter replied to

5514

Section

File No

Serial No

General and Revenue Secretariat

()

the 11 194

No

L 10667

To

Dear Sir,

Date of issue

18.6.46

Signed by

[Signature]

List of enclosures

Copied by

Examined by

With reference to the note
 of 27.3.1946 on the drawing
 scheme to ^{the} Kader Town, sent
 by you to the Ministry of
 Agriculture, I am desirous
 to request you to kindly
 state if the construction
 of the canal across the
 Kedar river - though initially
 costly - would im^aponed sufficient
 quantity of water to irrigate any
 considerable extent of land
 after providing an adequate
 water supply to ^{the} Kader Town

bala

both for ~~drinking~~ & ^{for} underground
 damage purposes. I am also to
 enquire whether the same source
 can be used for providing a more
 adequate ^{means of} water supply to Broun
 town which is ^{also} close by.

~~The matter may be treated as~~ ^{kindly} ~~is~~ ^{is} ~~the~~ ^{is} ~~noted~~ ^{is} ~~very~~ ^{is} ~~early~~ ^{is}
~~immediate to very early repl sent~~ and a report
 being sent to
 for ^{negotiations} before the 15th

Yours sincerely

AKB
 9/4/46

K S Venkataramanan mg B A B E

Sing Sing

D of Sing Sing
 Bangalore

Mem 10668-10669. d 11.4.46.

Off of the above is provided
 w/c to the Camp & ^{Department} ~~for~~ ^{for} the D. C. Karur
 for info.

Do.
 for

In Accy Dept.
 M

G R S App F G 3

GENERAL AND REVENUE
SECRETARIAT

(Continuation sheet draft form)

To, L 556 & 10-7-46

The Chief Engineer
for MS

Sir,

In continuing reference
to this office memo
No L 10668-10669 & 11/4/46
from my ^{WM 2} letter
No L 10667 & 11-4-46
addressed to the
Sanitary Engineer
on the desalting-
desalting of construction,
an amount across
the Veda river
for the improvement of
water supply to ^{the} known
Town etc, I am directed
to state that, during
his tour in the Kadur
in Feb'y 1946,
Dist^y the ~~known~~ Municipal
members of Kadur Town

submitted a representation to the
then Director for Agric. regarding the
execution of an underground drainage
scheme and for building a dam across
the Veda river and pumping water
to the Tunn and installation of Ferrell
pumps and to observe that the
feasibility of ^{the} underground drainage
~~scheme~~ depends on the feasibility
of ^{the} supply of water from the Veda river.
This proposal may thus be
examined, as already ^{indicated} ~~mentioned~~ in
this office letter of 11-4-46 addressed
to the Sanitary Engineer and a
report submitted to go to within
a fortnight before the end of July 1946


Shave & Co
Jna
M. J. Sany

No 13-C 3228/44-44

OFFICE OF THE DEPUTY COMMISSIONER,
KADUR DISTRICT

Enc

Dated Chikmagalur



FROM

G N Nagaraja Rao, Esq, M sc,
Deputy Commissioner,
Kadur District

TO

J B Mellaradhya, Esquire, M
Secretary to Government,
Revenue Department,
Bangalore

SIR

Regarding Drainage Scheme of Kadur Town
=====

I have the honour to invite kind reference to this
Office letter of even number dated 12th February 1946
on the above subject and to request you kindly to inti-
mate the stage at which the matter stands at present

I have the honour to be
Sir,
Your most obedient servant,

[Signature]
Deputy Commissioner,
Kadur District

HPR

23/2/46

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

()
the 194

Date of issue

Signed by

List of enclosures

Copied by

Examined by

Section

File No

Serial No

No

To

Sir,

Subject:- Drainage Scheme of Kadur Dist.

with ref to your letter no

13-C 2228/43-44 & 23 12 46, requesting

to inform the stage at which the above

matter stands, I am directed to ^{state} inform

that the subject is under examination

of Govt

Chief Engr for drainage was requested to

furnish certain information on the subject

in his office letter no

1356 D 107-46 (copy enclosed)

Further necessary action will be taken on receipt of

his reply. Yours truly

For Secy

10491

24

in the above subject engineering
furnished very early

Bo

Ar

inversing paper

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No L 10490

Dated Bangalore, 28 Jan. 1947.

FROM

*The Secretary to the Government of His Highness the Maharaja of Mysore
Revenue Department.*

TO

The Deputy Commissioner,
Kadur District.

Sir,

Subject:- Drainage Scheme of Kadur Town.

With reference to your letter No. 13. C.3323/43-44 dated 23rd December 1946 requesting that the stage at which the above matter stands at present may be intimated, I am directed to state that Chief Engineer for Irrigation was requested to furnish certain information, the subject in this office letter No. L.336 dated 10th July 1946 (copy enclosed for ready reference). Further necessary action will be taken on receipt of his reply. He has also been reminded in the matter.

I have the honour to be,
Sir,
Your most obedient servant,

Sd/- J.D. Mallaradhya,
Secretary to Government,
Revenue Department.

Memo No. L 10491

Dated, Bangalore, 28 Jan. 1947.

Copy of the above is forwarded with compliments to the Chief Engineer for Irrigation with the request that the information called for on the above subject may be kindly furnished very early.


By Order.

franch anderson
for Secretary to Government,
Revenue Department.

Handwritten:
No 1724/S
To *[Signature]*

OFFICE C *10670* *26*
FOR I *13/2/4)*

The Secretary to Government,
Revenue Department, Bangalore



Drainage scheme of Kadur Town - Improve-
ments to Kadur Water Supply

With reference to your Memo No L 10491 dated 25-1-1947, I have the honour to state that the proposals called for from the Sanitary Engineer, in respect of the above, are still awaited and he has been reminded to expedite matters. On receipt of the same, a further report will be submitted for the orders of Government.

I have the honour to be,
Sir,
Your most obedient servant,

KKM/11th

[Signature]
Chief Engineer for Irrigation


OFFICE OF THE CHIEF ENGINEER
FOR IRRIGATION, BANGALORE.

No 1374/S

6/3/47

To

The Secretary to Government,
Revenue Department, Bangalore



Subject - Drainage scheme of Kadur Town -
Improvements to Kadur Water Supply

In continuation of this office letter No 1724/S dated 13th February 1947, on the above subject, I have the honour to state that the sinking of the second bore-well is in progress and the yield will be tested at 100' depth. In case the yield is found to be sufficient detailed proposals for giving water supply to Kadur Town by these bore wells will be got up and submitted for the orders of Government.

2 The question of pumping water from the Veda River to augment water supply to Kadur Town will be considered if the supply from the two bore wells is found inadequate.

I have the honour to be,
Sir,
Your most obedient servant,

KKM/17th

M. Narasimha
Chief Engineer for Irrigation

6/3

NOTE ON KADUR DRAINAGE SCHEME.

A comprehensive drainage scheme for Kadur town for Rs. 57,433/- was forwarded to the Director of Public Health in this office No. 703 dated 3-1-1944 for opinion. The scheme was returned with certain observations by the Secretary to Government, Law Department and was resubmitted to the Chief Engineer for Roads and Buildings in this office No. 1224 dated 4-6-1945 and the Chief Engineer for Roads and Buildings has submitted the same for sanction of Government.

A further report on the question of underground drainage scheme was submitted to the Chief Engineer for Roads and Buildings in this office No. 530 dated 22-1-1946, stating that an underground drainage scheme is not suitable to Kadur town and similar small towns in view of the inadequate supply of water per capita.

Regarding the position of water supply to Kadur town the present source is from Chickhangul tank through a gravity main and slow sand filters. The capacity of the pipe line is only about 2000 gallons per hour. During the year 1940 shortage of water in Chickhangul tank was apprehended and a pumping scheme from Veda river about 2½ miles from the town at a cost of Rs. 50,625/- was prepared, but was deferred by the Municipal Council due to its initial cost and recurring charges of pumping water from the river. This estimate if revised would now cost not less than about a lakh of rupees. The Sanitary Engineer, in 1942, also advised that the new scheme would be too costly for the Municipality to maintain.

The question of adequate supply of water to Kadur town for working the underground drainage system at 25 gallons per head per day seems to be beyond the means of the Municipality. The surface drainage scheme submitted for sanction may kindly be approved.

MAJ
27/3

Thimmesha
SANITARY ENGINEER,
27/3 27/3

No 1 9811- d II-2449. 29
To Mr. 63-48-25
The de chickmagalm and
Only Drainage Scheme for
Kadur Town.

Sr,

With reference to the correspond-
- ence ending with your letter no
A3.E 3228/63 dated 23-12-66 on
the above subject, I am directed
to state that the drainage
Scheme for Kadur Town can not
be taken up at this stage, as
there is no adequate supply of
water to the town. The proposals
for the drainage Scheme for
Kadur Town may be taken up

30

after the water supply scheme.

is ~~finalised~~ finalised

(plans, estimates etc)
The records, accompany

Yours faithfully

for
Memo — 9812-13 d 22-2-49 — ^{11/2/49} to Secy
1 Copy ^{yes} to the C C for Irrigation
2 pdr Kadur Town and ch, for
information

For

for

To Secy to Govt

Any
10/2/49

